atomberg
"Why not?"

Atomberg Technologies Pvt Ltd

Registrar office:

1205, Millenium Business Park, MIDC Industrial Area, Sector 1, Kopar Khairane, Navi Mumbai, Maharashtra 400 710

Manufacturing unit:

Gate No 51-59, Industrial Area, Chakan, Bhamboli, Khed, Pune - 410 507

Customer Care:

Email: support@atomberg.com | Contact Number: 84484 49442

www.atomberg.com

AT/JULY/2024



Revolutionary BLDC Technology

The Power Behind Atomberg Fans

BLDC stands for Brushless Direct Current. The motor runs because of an interaction between a single winding and strong permanent magnets. The commutation is deployed by smart electronics. Thanks to the BLDC inverter technology and our proprietary sensorless algorithm, Atomberg fans consume just 28W at speed 5.

Advantages


- Consumes 65% less power.
- Fewer wear and tear, lasts longer.
- Quieter than traditional fans.
- More precise and customizable speeds.
- Consistent performance without wobbling.
- Lower carbon footprint.
- Efficient in varying voltage conditions.



Power consumption at each speed

The power consumption of the Atomberg Renesa+ fan varies with the speed at which it is set. It consumes less power than an LED bulb at speed 1.

	Speed	Wattage (W)
●○○○○	1	3
●●○○○	2	6
●●●○○	3	9
●●●●○	4	18
●●●●●	5	28
›››››››	Boost Speed	35




These specifications are for the Atomberg Renesa+ 1200 mm fan. The performance at each speed may vary for different models.

The Perfect Blend Of Style & Savings

65% Electricity Saving

A comparison: Atomberg fans vs Unrated fans



Atomberg fan Non star fan

***Assumptions:**
usage of 16 hours/day, for 300 days a year with electricity rate of ₹ 7/unit

Why Atomberg?

- ENERGY EFFICIENT BLDC MOTOR
- 65% ELECTRICITY SAVING
- SILENT OPERATION
- HIGH AIR DELIVERY
- RUNS UP TO 3X LONGER ON INVERTER
- POWERFUL BOOST MODE
- CONSISTENT SPEED EVEN AT LOW VOLTAGE
- NO MOTOR OVER HEATING
- REMOTE OPERATED
- IoT ENABLED SMART FANS
- HIGHEST RATED FANS ACROSS E-COMMERCE PORTALS
- PAN INDIA SERVICE NETWORK

How did it all start?
And how far we have travelled!

2022
10 million+ happy users
Incorporated a
State-of-the-art
BLDC factory

2021
Expanded to 1500 towns

2020
Present across 3000
retail partners

2019
Sold 1 lakh fans.
Expanded to
150 cities

2018
Started Offline Sales -
entered retail space
PAN India

2016
Started Online Sales -
became a B2C and
D2C brand

2015
Ventured into consumer
durables by launching
ceiling fan. Sold 500
fans in first month

2012
Incubated at Society of
Innovation &
Entrepreneurship (SINE)
in IIT Bombay

2023
Added another category in
it's portfolio by introducing
Smart Locks

2023
Present across
30000+ retailers

2024
Ventured into
Mixer Grinder
Category

A state-of-the-art manufacturing unit with the biggest production capacity of BLDC fans



Sprawling manufacturing facility


Multiple assembly lines


Cutting-edge motor winding facility


Highly trained work force

Spread over 200,000 Sq. Ft.


Designed and Manufactured in Pune, India



Fan buying guide


Optimize the fan performance
with RPM and Air Delivery (cmm)

Get the most out of your ceiling fan




Air delivery, not RPM ensures better airflow

Ceiling Height



Why is ‘sweep size’ important?



SMALL ROOM		MEDIUM ROOM	LARGE ROOM
24 INCH **(600mm)**	**36** INCH **(900mm)**	**48** INCH **(1200mm)**	**56** INCH **(1400mm)**


Sweep size is the entire diameter of the fan. A ceiling fan's air delivery is generally proportional to its sweep size. The larger your room, the larger the sweep size that you need.

IS 374
CM/L - 7500245210
www.bis.gov.in

MORE STARS MORE SAVINGS
POWER SAVINGS

3 YEAR
2+1^ YEAR ON-SITE WARRANTY

65% ELECTRICITY SAVING*



OPERATED BY WIFI & BLUETOOTH

Works with atomberg Home App

works with Hey Google

WORKS WITH alexa



Fans with IoT Feature

Compatible with Alexa and Google Home
Link your Atomberg Home app with Alexa and Google Home in just two clicks! And yes, even Hindi commands are available.

Bluetooth Control
Seamless switching between WiFi and Bluetooth when the need arises.

Performance Analytics
Track the lifetime metrics of the fan, run time, energy saved, amount saved on electricity and CO2 saved.

In-app Voice Command
Control your fan from the Atomberg Home app. It is precise, clear and requires a concise command structure.

In-app Automation
Schedule actions on your smart fan and get rid of repetitive tasks. Furthermore, you can also create quick access commands that will enable you to perform actions in a single click.

Guest Mode
Don't want to spend time signing up? No worries. Now control your fan via Guest Mode for enhanced privacy. The in-app voice control is also compatible with this mode.

^1 year extended warranty on registration
*compared to unrated fans

ARIS STARLIGHT SMART



Dark Teakwood
(1200mm)



Marble White
(1200mm)



SILENT FAN
52dB

INTEGRATED ABS
BLADE DESIGN

MULICOLOR
UNDER-LIGHTS

EASY TO CLEAN

REMOTE WITH LED COLOUR
MODE & INTENSITY MODE

LIGHT INTENSITY
CONTROL*

OPERATED BY
WIFI & BLUETOOTH

Works with
atomberg
Home App

works with
Hey Google

WORKS WITH
alexa

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	**Air Delivery CMM (m3/min)**	Power Factor
1200	28^	165-285	280	**245**	0.95

*With maximum light intensity wattage increases by +6 W

^ The power value is calculated at speed five, while the others have been computed at boost speed

ARIS SMART



Dark Teakwood
(1200mm)



Marble White
(1200mm)



SILENT FAN
52dB

INTEGRATED ABS
BLADE DESIGN

EASY TO CLEAN

REMOTE WITH
BOOST, SLEEP
AND TIMER MODE

LED INDICATION
FOR SPEED

OPERATED BY
WIFI & BLUETOOTH

Works with
atomberg
Home App

works with
Hey Google

WORKS WITH
alexa

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	**Air Delivery CMM (m3/min)**	Power Factor
1200	28^	165-285	280	**245**	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed




Marble White
(1200mm)



Midnight Black
(1200mm)

ARIS CONTOUR SMART



Regent Grey
(1200mm)



SILENT FAN
50dB

INTEGRATED ABS
BLADE DESIGN

UNIQUE LED
SPEED INDICATOR

EASY TO CLEAN

REMOTE WITH
BOOST, SLEEP
AND TIMER MODE

LIGHT INTENSITY
CONTROL*

OPERATED BY
WIFI & BLUETOOTH

Works with
atomberg
Home App

works with
Hey Google

WORKS WITH
alexa

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	**Air Delivery CMM (m3/min)**	Power Factor
1200	28	165-285	300	**250**	0.95

*With maximum light intensity wattage increases by +1 W
^ The power value is calculated at speed five, while the others have been computed at boost speed

STUDIO SMART+



Earth Brown
(1200mm)



Pearl White
(1200mm)



EASY TO CLEAN

LED INDICATION FOR SPEED

CONTEMPORARY LOOK WITH WIDER BLADES

REMOTE WITH BOOST, SLEEP AND TIMER MODE

OPERATED BY WIFI & BLUETOOTH

Works with atomberg Home App

works with Hey Google

WORKS WITH alexa

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	360	224	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

ERICA SMART



Umber Brown*
(1200mm)



Snow White
(1200mm)



EASY TO CLEAN*

LED INDICATION FOR SPEED

CONTEMPORARY LOOK WITH WIDER BLADES

REMOTE WITH BOOST, SLEEP AND TIMER MODE

OPERATED BY WIFI & BLUETOOTH

Works with atomberg Home App

works with Hey Google

WORKS WITH alexa

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	360	225	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

RENESA SMART+

WOODEN FINISH



Golden Oakwood
(1200mm)



OPERATED BY WIFI & BLUETOOTH

Works with atomberg Home App

works with Hey Google

WORKS WITH alexa

EASY TO CLEAN

LED INDICATION FOR SPEED

CONTEMPORARY DESIGN WITH A SLEEK BODY


REMOTE WITH BOOST, SLEEP AND TIMER MODE

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	360	235	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

RENESA SMART+

METALLIC FINISH



Earth Brown
(1200mm)



Pearl White
(1200mm)

RENESA SMART

MATTE FINISH



Brown & Black
(1200mm)



Midnight Black
(1200mm)



Misty Teal
(1200mm)



LED INDICATION FOR SPEED

CONTEMPORARY DESIGN WITH A SLEEK BODY

REMOTE WITH BOOST, SLEEP AND TIMER MODE

RENESA SMART

GLOSS FINISH



Pebble Grey
(1200mm)



White & Black
(1200mm)

OPERATED BY WIFI & BLUETOOTH

Works with atomberg Home App

works with Hey Google

WORKS WITH alexa

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	360	235	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

IS 374
CM/L - 7500245210
www.bis.gov.in

MORE STARS MORE SAVINGS
POWER SAVINGS

3 YEAR
2+1^ YEAR ON-SITE WARRANTY

65% ELECTRICITY SAVING*



A fan that reflects your taste

- Cutting-edge designs with a sleek build
- 5-star rated energy efficient BLDC fans
- High air delivery
- Consistent speed even at low voltage
- Remote-controlled
- Beautiful colour options

^1 year extended warranty on registration
*compared to unrated fans

RENESA +

WOODEN FINISH



Golden Oakwood
(600mm, 900mm,
1200mm, 1400mm)



Dark Walnut
(1200mm)



EASY TO CLEAN

LED INDICATION FOR SPEED

CONTEMPORARY DESIGN WITH A SLEEK BODY

REMOTE WITH BOOST, SLEEP AND TIMER MODE

RENESA +

METALLIC FINISH



Earth Brown
(600mm, 900mm,
1200mm, 1400mm)



Pearl White
(600mm, 900mm,
1200mm, 1400mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
600	28^	165-285	850	110	0.95
900	28^	165-285	530	180	0.95
1200	28^	165-285	360	235	0.95
1400	28^	165-285	290	250	0.95


^ The power value is calculated at speed five, while the others have been computed at boost speed

RENESA +

METALLIC FINISH



Sand Grey
(900mm, 1200mm)



Aegean Blue
(1200mm)



Metallic Gold
(900mm, 1200mm)



EASY TO CLEAN

LED INDICATION FOR SPEED

CONTEMPORARY DESIGN WITH A SLEEK BODY

REMOTE WITH BOOST, SLEEP AND TIMER MODE

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
600	28^	165-285	850	110	0.95
900	28^	165-285	530	180	0.95
1200	28^	165-285	360	235	0.95
1400	28^	165-285	290	250	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

RENESA

MATTE FINISH



Brown & Black
(600mm, 900mm,
1200mm, 1400mm)



Midnight Black
(600mm, 900mm,
1200mm, 1400mm)



Matte Brown
(600mm, 900mm,
1200mm, 1400mm)



LED INDICATION FOR SPEED

CONTEMPORARY DESIGN WITH A SLEEK BODY

REMOTE WITH BOOST, SLEEP AND TIMER MODE

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
600	28^	165-285	850	110	0.95
900	28^	165-285	530	180	0.95
1200	28^	165-285	360	235	0.95
1400	28^	165-285	290	250	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

RENESA

GLOSS FINISH



Ivory & Black
(900mm, 1200mm)



Gloss Ivory
(1200mm)



LED INDICATION FOR SPEED

CONTEMPORARY DESIGN WITH A SLEEK BODY

REMOTE WITH BOOST, SLEEP AND TIMER MODE

RENESA

GLOSS FINISH



White & Black
(600mm, 900mm,
1200mm, 1400mm)



Gloss White
(600mm, 900mm,
1200mm, 1400mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
600	28^	165-285	850	110	0.95
900	28^	165-285	530	180	0.95
1200	28^	165-285	360	235	0.95
1400	28^	165-285	290	250	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

RENESA PRIME REMOTE



Gloss Black
(1200mm)



Gloss White
(1200mm)

LED INDICATION FOR SPEED

CONTEMPORARY DESIGN WITH A SLEEK BODY

REMOTE WITH BOOST, SLEEP AND TIMER MODE



RENESA PRIME REMOTE



Gloss Brown
(1200mm)



Seasand Ivory
(1200mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	350	225	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

RENESA PRIME

REGULATOR



Gloss Black
(1200mm)



Gloss White
(1200mm)

CONTEMPORARY DESIGN WITH A SLEEK BODY

COMPATIBLE WITH REGULATORS*

RENESA PRIME

REGULATOR



Gloss Brown
(1200mm)



Seasand Ivory
(1200mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	35	220-240	350	225	0.90


* Compatible with STEP and TRIAC regulator.

IS 374
CM/L - 7500245210
www.bis.gov.in

MORE STARS MORE SAVINGS
POWER SAVINGS

3 YEAR
2+1^ YEAR ON-SITE WARRANTY

65% ELECTRICITY SAVING*



Fans with premium designs that enhance your decor

- Contemporary look with wider blades
- 5-star rated energy efficient BLDC fans
- High air delivery
- Consistent speed even at low voltage
- Remote-controlled
- Beautiful colour options

^1 year extended warranty on registration
*compared to unrated fans



Earth Brown
(1200mm)



Aegean Blue
(1200mm)



Pearl White & Teakwood
(1200mm)



EASY TO CLEAN

LED INDICATION FOR SPEED

CONTEMPORARY LOOK WITH WIDER BLADES

REMOTE WITH BOOST, SLEEP AND TIMER MODE



Sand Grey
(1200mm)



Onyx Black
(1200mm)



Pearl White
(1200mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	360	224	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed

ERICA


MATTE FINISH



Snow White+
(1200mm)



Lotus Pink+
(1200mm)



Midnight Black+
(1200mm)



EXQUISITE MANDALA ART+

EASY TO CLEAN*


LED INDICATION FOR SPEED

CONTEMPORARY LOOK WITH WIDER BLADES

REMOTE WITH BOOST, SLEEP AND TIMER MODE

ERICA

METALLIC MATTE



Aegean Blue*
(1200mm)



Umber Brown*
(1200mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	360	225	0.95


^ The power value is calculated at speed five, while the others have been computed at boost speed

IS 374
CM/L - 7500245210
www.bis.gov.in

MORE STARS MORE SAVINGS
POWER SAVINGS

3 YEAR
2+1^ YEAR ON-SITE WARRANTY

65% ELECTRICITY SAVING*



Fans that leave you astonished with their performance and efficiency

- 5-star rated energy efficient BLDC fans
- Runs upto 3x longer on inverter
- Remote-controlled
- Consistent speed even at low voltage
- High air delivery

^1 year extended warranty on registration
*compared to unrated fans



Blaze Brown
(1200mm)



Gloss White
(1200mm)



LED INDICATION FOR SPEED

REMOTE WITH BOOST, SLEEP AND TIMER MODE



Midnight Black
(1200mm)



Seasand Ivory
(1200mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
1200	28^	165-285	360	230	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed



Midnight Black
(900mm, 1200mm)



Gloss White
(900mm, 1200mm,
1400mm)



LED INDICATION
FOR SPEED

REMOTE WITH BOOST,
SLEEP AND TIMER MODE



Matte Brown
(900mm, 1200mm,
1400mm)



Gloss Ivory
(900mm, 1200mm,
1400mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
900	28^	165-285	500	180	0.95
1200	28^	165-285	380	235	0.95
1400	28^	165-285	280	272	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed



Gloss Black
(900mm, 1200mm,
1400mm)



Gloss White
(900mm, 1200mm,
1400mm)



Pebble Grey
(1200mm)





LED INDICATION
FOR SPEED

REMOTE WITH BOOST,
SLEEP AND TIMER MODE



Gloss Brown
(900mm, 1200mm,
1400mm)

Gloss Ivory
(900mm, 1200mm,
1400mm)



Classic Ruby
(1200mm)

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
900	28^	165-285	530	180	0.95
1200	28^	165-285	365	230	0.95
1400	28^	165-285	290	255	0.95

^ The power value is calculated at speed five, while the others have been computed at boost speed



Odour and vapours are now things of the past

- High air suction
- Silent operation
- Energy efficient BLDC motor
- Low power consumption
- Backflips and louvers to prevent bugs from entering indoors
- Easy to install and uninstall
- Easy to clean

^1 year extended warranty on registration

Exhaust fan buying guide



MODEL	STUDIO 6”	STUDIO+ 6”	EFFICIO+ 6”	EFFICIO 6”	EFFICIO 8”	EFFICIO 10”
Model Size	6”/ 150 mm	6”/ 150 mm	6”/ 150 mm	6”/ 150 mm	8”/ 200 mm	10”/ 250 mm
Installation Size	Diameter 153mm	Diameter 153mm	Diameter 164mm	Length x Width 175mm	Length x Width 245mm	Length x Width 290mm
Type of Cut	Round	Round	Round	Square	Square	Square
Preferred Room	Bathroom	Bathroom	Bathroom	Bathroom	Bathroom/ Kitchen	Bathroom/ Kitchen

Installation cut out size



These specifications are for the Atomberg Studio Exhaust 150mm.

STUDIO +

Gloss White



Brushed Steel



Gloss Black





EASY TO CLEAN
& EASY TO INSTALL



BACK FLAPS PREVENT INSECTS
FROM ENTERING THE HOUSE



CAN BE MOUNTED ON
GLASS & WOOD PANELS

Sweep (mm)	Cutout (mm)	Power (W)	CMH	Input Voltage (V)	RPM
150	153X153(Round)	6.8	245	165-285	2000

STUDIO

Brushed Steel



Gloss White



Dark Wood



Gloss Black



Gloss Brown





EASY TO CLEAN
& EASY TO INSTALL



BACK FLAPS PREVENT INSECTS
FROM ENTERING THE HOUSE



CAN BE MOUNTED ON
GLASS & WOOD PANELS

Sweep (mm)	Cutout (mm)	Power (W)	CMH	Input Voltage (V)	RPM
150	153X153(Round)	6.8	245	165-285	2000

EFFICIO +

Gloss Black



Gloss Brown



Gloss White



MOTORISED LOUVERS PREVENT INSECTS FROM ENTERING THE HOUSE

Sweep (mm)	Cutout (mm)	Power (W)	CMH	Input Voltage (V)	RPM
150	164X164(Square)	5	245	165-285	1400

EFFICIO

Gloss Brown



Gloss Black



Gloss White



EASY TO CLEAN & EASY TO INSTALL

HIGH AIR SUCTION & SPEED

BACK FLAPS PREVENT INSECTS FROM ENTERING THE HOUSE

Sweep (mm)	Cutout (mm)	Power (W)	CMH	Input Voltage (V)	RPM
150	175X175(Square)	11	356	165-285	2000
200	245X245(Square)	16	800	165-285	1600
250	290X290(Square)	20	1150	165-285	1300

2 YEAR

1+1^ YEAR
ON-SITE
WARRANTY



A fan that's high on looks and comfort

- Strong durable construction
- Separate motor for swing function
- Remote-controlled
- Easy to clean
- Easy to install
- Light weight

^1 year extended warranty on registration

RENESA

PEDESTAL FAN



Snow White



Midnight Black



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
400	35	165-285	1500	76	0.95

DOUBLE BALL BEARINGS FOR LONGER LIFE

ENERGY EFFICIENT BLDC MOTOR

VERTICAL TILT - 30°

SWING - 90°

6 SPEED LEVELS WITH LED INDICATOR


SILENT AIR DELIVERY

STELIOS PRO

PEDESTAL FAN



Snow White



Midnight Black



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
400	105	220-240	2200	82	0.9

HIGH SPEED INDUCTION MOTOR

VERTICAL TILT - 30°

SWING - 90°

6 SPEED LEVELS WITH LED INDICATOR

ABS BLADES

RENESA

WALL FAN



Midnight Black



Snow White





Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
400	35	165-285	1500	76	0.95

ENERGY EFFICIENT BLDC MOTOR

VERTICAL TILT - 30°


SWING - 90°

WITH PULL CORD MECHANISM


SILENT AIR DELIVERY

STELIOS PRO

WALL FAN



Midnight Black



Snow White

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m3/min)	Power Factor
400	105	220-240	2200	82	0.9

HIGH SPEED INDUCTION MOTOR

VERTICAL TILT - 30°

SWING - 90°

6 SPEED LEVELS WITH LED INDICATOR

ABS BLADES

Awards & Recognition



Part of the **"Champions of Change"** event along with the Honourable Prime Minister of India, Shri. Narendra Modi



Awarded **"Best Energy Conservation Appliance of the Year 2022"** by Honourable President of India, Smt. Droupadi Murmu



Climate Solver Award from WWF - 2016



Global CleanTech Innovation Program Winner from United Nations - 2016



National Entrepreneurship Award from the Government of India - 2017

Good Design Award 2022 for ERICA & ERICA SMART

LOOP Design Awards 2023 for ARIS & ARIS STARLIGHT

Red dot Winner Award 2024 for ARIS CONTOUR SMART

OUR CLIENTS

TATA

ITC Limited

ADITYA BIRLA GROUP

INDIAN RAILWAYS

PARK HYATT®

IDFC

COATS

Infosys®

INTERNATIONAL INSTITUTE OF INFORMATION TECHNOLOGY
HYDERABAD

Raymond

hindware

CANTEEN STORES DEPARTMENT

CPWD



Pan-India service network with on-site warranty

450+ Service Center